Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	966	1,023	598	646	457	488
GEOGRAPHIC DIVISION						
Northeast	402	415	273	245	195	191
New England	195	223	128	126	100	93
Middle Atlantic	350	346	243	211	169	166
Midwest	352	380	218	219	172	172
East North Central	283	298	170	192	131	156
West North Central	213	243	131	105	107	71
South	623	643	372	391	270	277
South Atlantic	500	479	315	305	227	224
East South Central	203	217	109	117	86	94
West South Central	308	330	171	192	132	130
West	557	556	318	393	250	296
Mountain	258	278	147	192	110	137
Pacific	491	480	286	345	228	263
COUNTY TYPE						
Large Metro	1,271	1,273	516	548	377	401
Small Metro	815	891	363	384	259	271
250K – 1 Mil. Pop.	722	732	309	315	211	220
< 250K Pop.	489	519	209	226	151	161
Nonmetro	564	577	253	283	172	209
Urbanized	403	424	190	176	121	141
Less Urbanized	373	442	156	233	121	165
Completely Rural	223	149	63	44	37	24

Table 1.59C (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.38	0.40	0.24	0.25	0.18	0.19
GEOGRAPHIC DIVISION						
Northeast	0.87	0.89	0.59	0.53	0.42	0.41
New England	1.60	1.82	1.05	1.03	0.82	0.76
Middle Atlantic	1.02	1.01	0.71	0.61	0.49	0.49
Midwest	0.64	0.69	0.39	0.40	0.31	0.31
East North Central	0.74	0.77	0.44	0.50	0.34	0.41
West North Central	1.28	1.45	0.79	0.63	0.64	0.42
South	0.68	0.69	0.40	0.42	0.29	0.30
South Atlantic	1.03	0.98	0.65	0.62	0.47	0.46
East South Central	1.36	1.44	0.73	0.78	0.58	0.62
West South Central	1.08	1.14	0.60	0.67	0.46	0.45
West	0.96	0.95	0.55	0.67	0.43	0.50
Mountain	1.45	1.54	0.82	1.06	0.62	0.76
Pacific	1.22	1.18	0.71	0.85	0.56	0.65
COUNTY TYPE						
Large Metro	0.55	0.59	0.34	0.36	0.26	0.27
Small Metro	0.68	0.62	0.42	0.42	0.32	0.32
250K – 1 Mil. Pop.	0.79	0.75	0.54	0.52	0.39	0.39
< 250K Pop.	1.32	1.12	0.73	0.74	0.53	0.58
Nonmetro	0.84	0.89	0.53	0.60	0.38	0.46
Urbanized	1.24	1.33	0.85	0.87	0.56	0.75
Less Urbanized	1.22	1.32	0.72	0.98	0.58	0.73
Completely Rural	2.83	2.84	1.30	1.11	0.81	0.65

Table 1.59D (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.8965		0.5564		0.3991	
GEOGRAPHIC DIVISION						
Northeast	0.3762		0.6864		0.9072	
New England	0.8783		0.3235		0.7277	
Middle Atlantic	0.2523		0.9287		0.7451	
Midwest	0.2745		0.5514		0.4905	
East North Central	0.8015		0.2107		0.1957	
West North Central	0.1549		0.3838		0.4070	
South	0.9733		0.6791		0.8863	
South Atlantic	0.2522		0.8448		0.9926	
East South Central	0.4286		0.6287		0.8199	
West South Central	0.2685		0.4114		0.6714	
West	0.9019		0.1662		0.2990	
Mountain	0.6076		0.0430		0.0530	
Pacific	0.6806		0.6090		0.7965	
COUNTY TYPE						
Large Metro	0.3475		0.3229		0.3350	
Small Metro	0.2693		0.8399		0.9577	
250K – 1 Mil. Pop.	0.4504		0.9315		0.8676	
< 250K Pop.	0.3967		0.6344		0.7418	
Nonmetro	0.3048		0.7968		0.7960	
Urbanized	0.8362		0.8918		0.3703	
Less Urbanized	0.3313		0.9716		0.8145	
Completely Rural	0.0881		0.3594		0.3221	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	103	102	90	94	66	70
GEOGRAPHIC DIVISION						
Northeast	38	37	34	33	25	28
New England	17	16	15	15	12	13
Middle Atlantic	34	33	31	29	23	24
Midwest	38	35	34	31	26	24
East North Central	32	29	28	26	22	20
West North Central	22	19	18	17	13	13
South	58	66	52	60	38	41
South Atlantic	45	50	38	46	28	29
East South Central	21	21	18	18	12	14
West South Central	34	34	31	32	22	23
West	59	58	53	55	39	43
Mountain	24	29	26	25	15	21
Pacific	54	50	46	49	36	38
COUNTY TYPE						
Large Metro	99	100	82	86	56	61
Small Metro	80	72	68	59	45	40
250K – 1 Mil. Pop.	66	61	56	49	39	34
< 250K Pop.	47	42	40	34	24	19
Nonmetro	44	54	36	45	24	25
Urbanized	31	38	28	33	17	17
Less Urbanized	30	38	23	32	15	18
Completely Rural	14	11	11	8	6	5

Table 1.60C (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.42	0.42	0.36	0.38	0.27	0.29
GEOGRAPHIC DIVISION						
Northeast	0.89	0.87	0.79	0.78	0.59	0.65
New England	1.54	1.48	1.33	1.40	1.06	1.17
Middle Atlantic	1.07	1.04	0.96	0.93	0.71	0.78
Midwest	0.71	0.65	0.63	0.57	0.47	0.44
East North Central	0.83	0.78	0.73	0.70	0.58	0.54
West North Central	1.34	1.19	1.11	1.06	0.78	0.81
South	0.65	0.73	0.58	0.67	0.42	0.46
South Atlantic	0.99	1.12	0.84	1.02	0.62	0.65
East South Central	1.44	1.43	1.21	1.24	0.82	0.98
West South Central	1.13	1.12	1.02	1.05	0.73	0.78
West	1.00	1.00	0.90	0.95	0.66	0.75
Mountain	1.33	1.65	1.46	1.42	0.84	1.19
Pacific	1.32	1.25	1.14	1.22	0.87	0.94
COUNTY TYPE						
Large Metro	0.60	0.59	0.53	0.55	0.39	0.41
Small Metro	0.72	0.72	0.64	0.65	0.47	0.49
250K – 1 Mil. Pop.	0.86	0.89	0.76	0.76	0.59	0.62
< 250K Pop.	1.28	1.27	1.11	1.21	0.77	0.71
Nonmetro	0.88	1.04	0.77	0.91	0.56	0.57
Urbanized	1.33	1.55	1.32	1.38	0.88	0.84
Less Urbanized	1.23	1.54	1.04	1.36	0.76	0.84
Completely Rural	2.53	2.95	2.03	2.41	1.43	1.40

Table 1.60D (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0451		0.7389		0.9151	
GEOGRAPHIC DIVISION						
Northeast	0.5864		0.5225		0.2721	
New England	0.6149		0.7574		0.8299	
Middle Atlantic	0.7065		0.5730		0.2680	
Midwest	0.1050		0.6739		0.1989	
East North Central	0.0152		0.0698		0.0331	
West North Central	0.5602		0.0526		0.3091	
South	0.0449		0.8073		0.9946	
South Atlantic	0.5518		0.7938		0.7286	
East South Central	0.0432		0.1889		0.3506	
West South Central	0.0951		0.9662		0.9354	
West	0.4874		0.6612		0.7944	
Mountain	0.8063		0.7631		0.7148	
Pacific	0.3492		0.5027		0.9189	
COUNTY TYPE						
Large Metro	0.1102		0.9613		0.2654	
Small Metro	0.3740		0.7125		0.3631	
250K – 1 Mil. Pop.	0.8804		0.7936		0.6532	
< 250K Pop.	0.1853		0.7846		0.2850	
Nonmetro	0.3629		0.7727		0.3455	
Urbanized	0.1408		0.2233		0.0724	
Less Urbanized	0.9584		0.6036		0.9882	
Completely Rural	0.9172		0.6554		0.7111	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	163	167	160	167	135	136
GEOGRAPHIC DIVISION						
Northeast	63	70	66	69	55	60
New England	30	31	33	35	32	30
Middle Atlantic	57	61	57	58	45	53
Midwest	63	75	63	66	50	52
East North Central	50	61	53	56	43	43
West North Central	37	40	33	36	27	28
South	97	107	103	100	83	83
South Atlantic	77	80	82	80	65	68
East South Central	32	36	34	32	25	26
West South Central	47	58	45	48	44	41
West	97	91	86	91	74	73
Mountain	43	42	41	38	33	30
Pacific	88	81	77	84	67	67
COUNTY TYPE						
Large Metro	224	243	170	191	116	133
Small Metro	185	214	141	160	105	110
250K – 1 Mil. Pop.	147	161	103	113	72	73
< 250K Pop.	121	139	100	110	77	83
Nonmetro	173	109	123	74	69	52
Urbanized	153	84	110	59	56	43
Less Urbanized	81	75	55	49	39	34
Completely Rural	29	26	18	19	12	13

Table 1.61C (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.49	0.49	0.48	0.49	0.40	0.40
GEOGRAPHIC DIVISION						
Northeast	1.03	1.15	1.08	1.14	0.90	1.00
New England	1.86	1.94	2.08	2.15	1.99	1.84
Middle Atlantic	1.26	1.38	1.27	1.32	1.00	1.19
Midwest	0.85	1.00	0.85	0.88	0.69	0.69
East North Central	0.98	1.18	1.04	1.09	0.85	0.83
West North Central	1.62	1.72	1.47	1.54	1.17	1.20
South	0.81	0.86	0.85	0.80	0.69	0.67
South Atlantic	1.27	1.26	1.35	1.27	1.06	1.08
East South Central	1.67	1.82	1.81	1.61	1.34	1.31
West South Central	1.18	1.42	1.13	1.17	1.09	0.99
West	1.20	1.12	1.07	1.12	0.92	0.90
Mountain	1.76	1.68	1.68	1.51	1.38	1.18
Pacific	1.56	1.44	1.36	1.49	1.18	1.20
COUNTY TYPE						
Large Metro	0.69	0.72	0.68	0.70	0.56	0.58
Small Metro	0.85	0.92	0.87	0.90	0.78	0.70
250K – 1 Mil. Pop.	1.06	1.05	0.98	1.03	0.83	0.74
< 250K Pop.	1.50	1.66	1.65	1.66	1.51	1.45
Nonmetro	1.03	1.08	1.08	0.98	0.75	0.82
Urbanized	1.41	1.70	1.65	1.59	0.90	1.43
Less Urbanized	1.49	1.44	1.45	1.35	1.28	1.14
Completely Rural	4.13	4.41	3.50	3.99	2.65	2.93

Table 1.61D (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0720		0.0930		0.7283	
GEOGRAPHIC DIVISION						
Northeast	0.7357		0.1125		0.3855	
New England	0.8157		0.9183		0.5454	
Middle Atlantic	0.7444		0.0682		0.1697	
Midwest	0.0776		0.6705		0.2741	
East North Central	0.0356		0.5605		0.5270	
West North Central	0.9578		0.8648		0.2591	
South	0.2031		0.6923		0.9435	
South Atlantic	0.2971		0.8892		0.3888	
East South Central	0.3181		0.1980		0.2327	
West South Central	0.8037		0.7130		0.5700	
West	0.8748		0.3423		0.4556	
Mountain	0.7680		0.9881		0.9973	
Pacific	0.9800		0.3197		0.4113	
COUNTY TYPE						
Large Metro	0.1438		0.3758		0.5881	
Small Metro	0.6438		0.2083		0.7021	
250K – 1 Mil. Pop.	0.5337		0.7977		0.5981	
< 250K Pop.	0.1197		0.1049		0.2665	
Nonmetro	0.1112		0.2399		0.9264	
Urbanized	0.5227		0.4925		0.1976	
Less Urbanized	0.0419		0.0726		0.6568	
Completely Rural	0.1162		0.2074		0.2618	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	932	988	526	572	401	441
GEOGRAPHIC DIVISION						
Northeast	388	396	236	225	174	174
New England	182	207	108	106	85	80
Middle Atlantic	340	335	211	197	153	154
Midwest	333	367	185	197	149	157
East North Central	267	288	145	176	113	145
West North Central	207	239	113	87	94	58
South	615	618	330	342	246	254
South Atlantic	492	456	274	264	209	203
East South Central	194	214	97	106	80	89
West South Central	302	322	161	170	116	115
West	534	535	287	357	223	270
Mountain	258	267	127	169	97	122
Pacific	464	464	260	316	203	241
COUNTY TYPE						
Large Metro	1,180	1,187	449	474	336	354
Small Metro	727	791	307	312	219	232
250K – 1 Mil. Pop.	639	659	263	263	186	195
< 250K Pop.	435	452	167	174	117	127
Nonmetro	490	519	195	248	148	186
Urbanized	323	363	131	140	97	118
Less Urbanized	336	399	132	202	109	144
Completely Rural	200	134	49	34	31	17

Table 1.62C (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.48	0.51	0.27	0.29	0.21	0.23
GEOGRAPHIC DIVISION						
Northeast	1.08	1.09	0.66	0.62	0.48	0.48
New England	1.93	2.17	1.14	1.11	0.90	0.84
Middle Atlantic	1.28	1.25	0.80	0.74	0.58	0.58
Midwest	0.78	0.86	0.44	0.46	0.35	0.37
East North Central	0.90	0.97	0.49	0.59	0.38	0.49
West North Central	1.61	1.86	0.88	0.68	0.73	0.45
South	0.87	0.86	0.47	0.48	0.35	0.35
South Atlantic	1.30	1.19	0.72	0.69	0.55	0.53
East South Central	1.67	1.83	0.83	0.91	0.69	0.76
West South Central	1.41	1.48	0.75	0.78	0.54	0.53
West	1.21	1.19	0.65	0.80	0.50	0.60
Mountain	1.89	1.94	0.93	1.23	0.71	0.89
Pacific	1.51	1.49	0.85	1.02	0.66	0.77
COUNTY TYPE						
Large Metro	0.70	0.75	0.40	0.42	0.31	0.32
Small Metro	0.85	0.77	0.49	0.48	0.36	0.38
250K – 1 Mil. Pop.	1.00	0.92	0.63	0.59	0.46	0.47
< 250K Pop.	1.63	1.43	0.81	0.80	0.55	0.63
Nonmetro	1.04	1.11	0.57	0.72	0.44	0.55
Urbanized	1.48	1.61	0.88	0.98	0.65	0.86
Less Urbanized	1.52	1.65	0.82	1.16	0.70	0.86
Completely Rural	3.30	3.27	1.31	1.05	0.88	0.57

 Table 1.62D (REVISED)
 Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:

 Standard Errors of Percentages, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.7711		0.2390		0.4363	
GEOGRAPHIC DIVISION						
Northeast	0.3642		0.9706		0.7284	
New England	0.8403		0.2212		0.4962	
Middle Atlantic	0.2320		0.4883		0.4502	
Midwest	0.4829		0.4276		0.5959	
East North Central	0.7244		0.0630		0.1322	
West North Central	0.1243		0.1349		0.1118	
South	0.7514		0.6756		0.8174	
South Atlantic	0.3210		0.7638		0.7085	
East South Central	0.2434		0.2653		0.4874	
West South Central	0.1949		0.3084		0.7473	
West	0.9592		0.0601		0.3490	
Mountain	0.5918		0.0266		0.0415	
Pacific	0.7407		0.3139		0.9208	
COUNTY TYPE						
Large Metro	0.1872		0.1731		0.4722	
Small Metro	0.2603		0.9688		0.9792	
250K – 1 Mil. Pop.	0.3064		0.9262		0.9972	
< 250K Pop.	0.5907		0.8159		0.9528	
Nonmetro	0.5211		0.7556		0.5676	
Urbanized	0.7306		0.7533		0.2413	
Less Urbanized	0.5421		0.7110		0.9484	
Completely Rural	0.1054		0.2879		0.2986	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	961	1,018	583	631	447	482
GEOGRAPHIC DIVISION						
Northeast	399	409	267	239	191	187
New England	193	220	126	123	97	92
Middle Atlantic	347	342	238	205	166	163
Midwest	345	383	212	217	167	170
East North Central	276	298	166	190	127	155
West North Central	212	248	129	103	107	69
South	627	645	365	380	268	275
South Atlantic	504	478	311	296	228	222
East South Central	201	222	105	115	85	92
West South Central	310	330	168	185	129	127
West	553	554	311	389	245	294
Mountain	266	277	144	186	107	135
Pacific	482	479	280	343	223	262
COUNTY TYPE						
Large Metro	1,244	1,252	496	534	366	394
Small Metro	788	865	348	368	249	265
250K – 1 Mil. Pop.	698	710	297	300	204	213
< 250K Pop.	475	500	198	217	145	159
Nonmetro	550	557	245	272	168	206
Urbanized	390	402	183	165	116	137
Less Urbanized	364	432	151	226	119	162
Completely Rural	216	144	59	41	36	23

Table 1.63C (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.42	0.44	0.26	0.28	0.20	0.21
GEOGRAPHIC DIVISION						
Northeast	0.95	0.97	0.64	0.56	0.45	0.44
New England	1.74	1.97	1.14	1.11	0.87	0.83
Middle Atlantic	1.12	1.10	0.77	0.66	0.53	0.52
Midwest	0.69	0.77	0.43	0.43	0.34	0.34
East North Central	0.80	0.86	0.48	0.54	0.37	0.44
West North Central	1.41	1.63	0.86	0.68	0.71	0.46
South	0.75	0.77	0.44	0.45	0.32	0.33
South Atlantic	1.14	1.07	0.71	0.66	0.52	0.50
East South Central	1.49	1.63	0.78	0.84	0.63	0.67
West South Central	1.22	1.28	0.66	0.72	0.51	0.49
West	1.06	1.05	0.60	0.73	0.47	0.56
Mountain	1.66	1.70	0.90	1.15	0.67	0.83
Pacific	1.33	1.31	0.77	0.93	0.61	0.71
COUNTY TYPE						
Large Metro	0.61	0.66	0.37	0.40	0.29	0.30
Small Metro	0.75	0.68	0.46	0.45	0.34	0.35
250K – 1 Mil. Pop.	0.88	0.82	0.59	0.56	0.43	0.42
< 250K Pop.	1.44	1.24	0.79	0.80	0.57	0.64
Nonmetro	0.93	0.99	0.57	0.66	0.41	0.51
Urbanized	1.34	1.46	0.93	0.95	0.60	0.84
Less Urbanized	1.34	1.48	0.77	1.08	0.63	0.81
Completely Rural	3.16	3.02	1.37	1.12	0.89	0.68

Table 1.63D (REVISED)Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	1.0000		0.4980		0.3943	
GEOGRAPHIC DIVISION						
Northeast	0.4241		0.6232		0.9787	
New England	0.8303		0.2968		0.7047	
Middle Atlantic	0.2810		0.9840		0.8586	
Midwest	0.3294		0.4957		0.3766	
East North Central	0.9692		0.1202		0.1043	
West North Central	0.1365		0.2448		0.3315	
South	0.8973		0.7109		0.8879	
South Atlantic	0.2669		0.8226		0.9551	
East South Central	0.3346		0.4808		0.7064	
West South Central	0.2081		0.4058		0.6557	
West	0.9313		0.1371		0.3064	
Mountain	0.6332		0.0392		0.0558	
Pacific	0.7305		0.5318		0.8011	
COUNTY TYPE						
Large Metro	0.2848		0.3028		0.4084	
Small Metro	0.2806		0.9038		0.9237	
250K – 1 Mil. Pop.	0.4185		0.8789		0.7974	
< 250K Pop.	0.4624		0.6627		0.8478	
Nonmetro	0.3376		0.8324		0.7099	
Urbanized	0.7704		0.9451		0.2699	
Less Urbanized	0.3581		0.8996		0.8069	
Completely Rural	0.0769		0.2994		0.2892	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.